MAR. 27. 2006 10:12AM TO: USPTO

7635146982 MEDTRONIC

RECEIVED CENTRAL FAX CENTER

P. 1 NO. 0396

MAR 2 7 2006

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

AMENDMENT AF TRANSMITTAL

In re Application of: BRABEC et al.

For: HIGH IMPEDANCE AND LOW POLARIZATION ELECTRODE

Serial No.: 10/648,908 Filed: 08-27-2003 Docket No.: P9676.00

> CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that the paper(s) as described harein are being sent to telefacs/mile No. (571) 273-8300,
> MAIL STOP AF, Commissioner for Patents, P.O. Box 1450,
> Alexandria, VA 22313-1450, on March 27, 2006.

MOLLY MCCLELLAN Printed Name

MAIL STOP AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

c	ì	,	
v	ľ	١.	•

	nsmitting herewith the attached: SPONSE TO FINAL OFFICE ACTION	
	Applicant requests amonth extension of time to respond to the dated, from to	
	Please charge Deposit Account No. 13-2546 \$ for extension of time and \$ for , for a TOTAL OF \$.00. The Commissioner is authorized to charge any deficiencies, and credit any overpayments, to Deposit Account No. 13-2546.	
	Applicant believes that no extension of time is required. However, if an extension of time is require please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time. The Commissioner is authorized to charge any deficiencies to Deposit Account No. 13-2546.	d,
	27,206 Mul	
Date	Michael C. Soldner, Reg. No. 41,455	

Telephone: (763) 514-4842 Customer No. 27581

NO. 0396 P. 2

MAR 2 7 2006

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Scott J. Brabec

Examiner:

Alter, Alyssa m.

Serial No.

10/648,908

Group Art:

3762

Filing Date: August 27, 2003

Docket No.:

P9676.00

Title:

HIGH IMPEDANCE AND LOW POLARIZATION ELECTRODE

RESPONSE TO FINAL OFFICE ACTION

MAIL STOP AF Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This is in response to the Final Office Action dated January 27, 2006.

Reconsideration of the claims in view of the amendments and remarks is respectfully requested.

Amendments to the specification begin on page 2 of this paper.

Amendments to the claims are reflected in the listing of claims, which begins on page 3 of this paper.

Remarks begin on page 9 of this paper.